


Risk Assessment – COVID-19 Kit Loan

Creator/Reviewer of Risk Assessment	Name Ian Snell
	Signature 
Next Review Date	January 2021

Severity	Likelihood	Risk Rating* (S x L)
1 No or Little Harm	1 Unlikely	1-5 Low
2 Minor/First Aid	2 Possible	6-10 Medium
3 Medical Attention	3 Probable	10+ High
4 Hospitalisation	4 Likely	
5 Death/Irreparable Injury	5 Certain	

Science Oxford Risk Assessment			Severity	Likelihood	Risk Rating*
Hazard	Risk	Control Measures			
Exposure to COVID-19 (coronavirus)	All Transmission of disease from touching objects	<ul style="list-style-type: none"> Science Oxford will isolate equipment for at least 72 hours between loans to school Science Oxford staff to sanitise hands before transferring equipment to school staff and after receiving equipment back We recommend equipment is restricted to one child at a time, and either isolated for 72 hours or thoroughly cleaned between uses, but use of equipment within school must be within your own school guidelines 	3	2	6
	School staff, Science Oxford Staff Person to person transmission of disease	<ul style="list-style-type: none"> Science Oxford to ensure strict adherence to guidelines around self-isolating and getting tested if they or members of their household develop symptoms, including engagement with NHS Test and Trace. Science Oxford staff to maintain social distancing during equipment transfer Science Oxford to be aware of local outbreaks and closures We recommend children work on their own but use of equipment within school must be within your own school guidelines 	3	2	6

Please use this risk assessment in conjunction with Science Oxford's activity-specific risk assessments, your own prior assessments and dynamic management of risk.