

Risk Assessment – Science of Magic

Creator/Reviewer of Risk Assessment	Name Daniel Scholes
	Signature 
Next Review Date	September 2026

Severity	Likelihood	Risk Rating* (S x L)
1 No or Little Harm	1 Unlikely	1-5 Low
2 Minor/First Aid	2 Possible	6-10 Medium
3 Medical Attention	3 Probable	10+ High
4 Hospitalisation	4 Likely	
5 Death/Irreparable Injury	5 Certain	

Science Oxford Risk Assessment			Severity	Likelihood	Risk Rating*
Hazard	Risk	Control Measures			
Water spillage	Everyone Spills of water might lead to slips and falls	Presenter to be careful with water, and have blue roll available to wipe up spills on floor	2	1	2
Consuming materials	Volunteers Swell gel could continue to swell in the stomach	Do not allow swell gel to be consumed; trick should be removed from near volunteers during blindfold section of show	2	1	2
	Volunteers Extremely salty water could cause vomiting and/or dehydration if ingested	Do not allow saltwater to be ingested Drink plenty of freshwater if ingested	2	1	2
General	All Sharp tip of screw could cause a minor injury Wooden board could leave splinters	Board should be checked for splinters before use Volunteers should not be given access to board or screw	2	1	2
Hydrogen peroxide	All 30% hydrogen peroxide is corrosive and a powerful oxidiser	Remove from contact with combustible material e.g. flammable vapours, paper, wood dust and gases. Use gloves and safety glasses when setting up. Keep well away from audience at all times. Store bottle securely out of sight. If spilled on skin, wash off with copious amounts of water. Remove and wash contaminated clothing.	3	1	3
	All Reaction creates a lot of heat; potential burns	Do not handle reaction vessel from the bottom. Do not allow audience to handle reaction vessel after show.	2	1	2
	See reverse for emergency action				

Please use this risk assessment in conjunction with your own prior assessments and dynamic management of risk.

Risk Assessment – Science of Magic

Creator/Reviewer of Risk Assessment	Name Daniel Scholes
	Signature 
Next Review Date	September 2026

Severity	Likelihood	Risk Rating* (S x L)
1 No or Little Harm	1 Unlikely	1-5 Low
2 Minor/First Aid	2 Possible	6-10 Medium
3 Medical Attention	3 Probable	10+ High
4 Hospitalisation	4 Likely	
5 Death/Irreparable Injury	5 Certain	

Hydrogen Peroxide (H₂O₂)

<http://science.cleapss.org.uk/resource/SSS057-Hydrogen-peroxide.pdf>

Emergency action

- In the eye
 - Flood the eye with gently-running tap water for at least 20 minutes. Call 999/111.
- Swallowed
 - Do no more than rinse and spit with drinking water.
 - Do **not** induce vomiting.
 - Call 999/111.
- Spilt on the skin or clothing
 - Remove and soak contaminated clothing.
 - Irrigate the skin affected area with gently-running tap water for at least 20 minutes.
 - Call 999/111 as appropriate.
- Spilt on the floor, bench, etc
 - For large spills, and especially for (moderately) concentrated solutions, cover with mineral absorbent (eg, cat litter) and scoop into a bucket.
 - Dilute with at least ten times its own volume of water.
 - Rinse the floor etc with plenty of water.
 - Wipe up small amounts with a damp cloth and rinse it well.

Please use this risk assessment in conjunction with your own prior assessments and dynamic management of risk.