


Risk Assessment – KL Marble Mazes

Creator/Reviewer of Risk Assessment	Name Ian Snell
	Signature 
Next Review Date	September 2022

Severity	Likelihood	Risk Rating* (S x L)
1 No or Little Harm	1 Unlikely	1-5 Low
2 Minor/First Aid	2 Possible	6-10 Medium
3 Medical Attention	3 Probable	10+ high
4 Hospitalisation	4 Likely	
5 Death/Irreparable Injury	5 Certain	

Science Oxford Risk Assessment

Science Oxford Risk Assessment			Severity	Likelihood	Risk Rating*
Hazard	Risk	Control Measures			
Use of equipment	Small children Choking hazard from small pieces	<ul style="list-style-type: none"> Workshop should not take place with children of 3 or under at any time and is not recommended for 4- and 5-year olds. Equipment to be adult supervised at all times Adult to child ratio in schools to be determined by the school based on their understanding of the cohort. A higher ratio is suggested for under 8s. 	5	1	5
	All Trip hazard from loose marbles	<ul style="list-style-type: none"> As above. Workshop should ideally take place on the floor to prevent marbles running too wild by rolling off tables. 	2	2	4
	All Wooden boards may leave splinters	<ul style="list-style-type: none"> Science Oxford staff will visually inspect boards between loans 	2	1	2

Please use this risk assessment in conjunction with your own prior assessments and dynamic management of risk.