


## Risk Assessment – K'nex

<b>Creator/Reviewer of Risk Assessment</b>	<b>Name</b> Ian Snell
	<b>Signature</b> 
<b>Next Review Date</b>	January 2021

Severity	Likelihood	Risk Rating* (S x L)
1 No or Little Harm	1 Unlikely	1-5 Low
2 Minor/First Aid	2 Possible	6-10 Medium
3 Medical Attention	3 Probable	10+ High
4 Hospitalisation	4 Likely	
5 Death/Irreparable Injury	5 Certain	

<b>Science Oxford Risk Assessment</b>			<b>Severity</b>	<b>Likelihood</b>	<b>Risk Rating*</b>
<b>Hazard</b>	<b>Risk</b>	<b>Control Measures</b>			
Use of equipment	<b>Participants</b> Choking hazard from small pieces	<ul style="list-style-type: none"> <li>Workshop not to take place with children of 3 or under at any time, and is not recommended for 4 and 5 year olds.</li> <li>Workshop to be adult supervised at all times, with at least two adults supervising a group of 30 children</li> <li>Adult to child ratio in schools to be determined by the school based on their understanding of the cohort. A higher ratio is suggested for under 8s.</li> </ul>	5	1	5
Exposure to disease (such as COVID-19)	<b>All</b> Surface transmission from equipment	<ul style="list-style-type: none"> <li>School advised that pupils should wash hands before workshop</li> <li>Equipment provided per-pupil, to work alone instead of in a group                             <ul style="list-style-type: none"> <li>Maximum group size 30 at present, although we are looking at options to increase this</li> </ul> </li> <li>Equipment isolated for 72 hours after use</li> <li>Presenter to sanitise hands before distributing equipment</li> </ul>	3	2	6
	<b>All</b> Person to person transmission	<ul style="list-style-type: none"> <li>Presenter to remain at 2m distance at front of class</li> <li>Children to work alone with discussion between individuals</li> <li>Children to maintain distance where possible</li> </ul>	3	2	6

Please use this risk assessment in conjunction with your own prior assessments and dynamic management of risk.